

CATA LOGUE

Uncompromising
performance for
your workshop

Any bike, anywhere.



Brake pads
Cables
Rotors
Accessories

FIBRAX[®]

UK Made Cycling Components

2019 WINNER

Fibrax is the UK's leading manufacturer and supplier of high performance brake pads, cables and ancillary cycling components.



Using advanced materials and latest technology, our quality product range is engineered to enhance the rider's experience on and off road.



Our products have stood the test of time and are ridden and rated by passionate cycling enthusiasts.

Since 1902, Fibrax has been pioneering advancements in cycling performance. Over the last century, both materials and manufacturing processes have changed considerably but our commitment to continual improvement has remained steadfast, enabling us to offer a high quality, reliable product range.

We design, develop and manufacture a comprehensive range of brake pads, disc pads, rotors, rim pads, cables and spare components.

Our team of product development engineers are all cycle enthusiasts, which gives us the edge when it comes to testing and refining our latest innovations.

Whether you get your kicks from the speed of a road bike or thrills of an MTB, we are passionate about producing the right product to help you go further.

Our products are manufactured and developed in the UK and distributed worldwide. We are part of the Fibrax Group, which also produces high precision moulded components to the automotive industry. Our stringent manufacturing processes ensure you enjoy superior products and an unforgettable riding experience.

SPONSORED TEAMS AND RIDERS



CAMPBELL COACHING

Discipline: MTB

Based in Afan and Llangollen, Ali and Bob offer MTB coaching and coached rides.

They have private coaching venues designed specifically to progress their clients' skills away from the public, allowing for quicker progression.



STEVE DAY

aka "Machine" & "Wolverine"
TRAVERS - E3COACH

Discipline: Singlespeed Mountain Bike

2016 Champion:

- WEMBO singlespeed 24hr solo world champion
- Mountain Mayhem solo winner – overall and singlespeed categories
- Torq12 Vets and Singlespeed winner
- UK Singlespeed Championships winner



TORQ PERFORMANCE

**TORQ PERFORMANCE TRIATHLON
AND MOUNTAIN BIKE TEAMS**

Discipline: Cross Country, Marathon Mountain Biking, Triathlon

Exceptional performances at the sharp end of the UK domestic race scene in 2016 and 2017 saw teams from Torq Performance dominate a variety of age groups, the national elite riders and a multitude of distances.



FIBRAX WREXHAM ROADS CLUB

Discipline: Road & Circuit, Time Trial, Cyclo-Cross, Mountain & XC

Fibrax Wrexham Roads Club is a long-established cycling club based in Wrexham, North Wales. The club has a broad membership of both men and women, from experienced racers competing in time trials at a national level to novice riders who ride for fitness and fun.



MARKUS STITZ
BIKEPACKING SCOTLAND

Discipline: Bikepacking, Singlespeed

Markus discovered his love for off-road biking in 2014. He has cycled 34,000km around the world and now runs Bikepacking Scotland, which encourages people to discover and harness a sense of adventure!



ROTOR RACE TEAM

Discipline: MTB XC and Cyclocross

The ROTOR Race Team is a new MTB XC and Cyclocross team built on the principles of team spirit, mutual support and great camaraderie in all races in which we are involved. Velotech Services supports three of the UK's biggest XC series (Midlands, Southern and Eastern) and we have riders competing at national level across several age groups. The men and women in this exciting team are proud to represent all our sponsors.



MATT "TAZ" WADIE
BACK OF THE PACK RACING

Discipline: Singlespeed rigid

Matt has been riding since the 1980s. He embraced singlespeed and has won multiple awards in events up and down the country.

DISC PADS

UNBEATABLE
STOPPING POWER



SEMI-METALLIC DISC PAD

A softer pad, offering the best modulation, but now with improved durability and braking power.

SINTERED DISC PAD

A “high friction” pad, offering longest life and best performance in wet/muddy conditions.



E-BIKE PADS


Designed to push the usable temperature range up, increasing usability, control and safety.

TRIED AND TESTED

Testing is key to product innovation and we have developed a brake testing rig that mimics a variety of rides. This equipment also helps us test how our equipment performs in different conditions; we can even tell you the exact place your tyre will start to skid in the wet!



WORKING CALIPER TEMPERATURE RANGE OF DISC PAD




HANDY HINT

When installing a disc pad, apply a TINY amount of copper grease to the rear of the backing plate to increase thermal conductivity and improve the braking action.


DISC PADS

AVID




NEW AVID XO Trail, Guide, Elixir Trail

ASH974 ASH974S




AVID Juicy System, Ball Bearing 7

ASH975 ASH975S




AVID BB5 Mechanical

ASH976 ASH976S




AVID Elixir, SRAM XX

ASH977 ASH977S



AVID Code, (Pre-2011)

ASH978 ASH978S




NEW AVID Code R (Post 2012)

ASH979 ASH979S




DIATECH




DIATECH Mechanical, Kinetic, Nifon

ASH930



DIATECH Anchor

ASH932




DIATECH Spiral Stop

ASH935



FORMULA




FORMULA B4

ASH943 ASH943S




GIANT




GIANT MPH1

ASH956 ASH956S




FORMULA Oro

ASH946 ASH946S




GIANT MPH2 & 3

ASH957 ASH957S



FORMULA The One, R1, RX & Mega

ASH947 ASH947S




GIANT Roots 07

ASH991 ASH991S



GRIMECA




GRIMECA Systems 1, 1.1, 16, 16.1

ASH980 ASH980S




GRIMECA Systems 2, 2.1 & 2.2, 5 & 5.1


ASH981




GRIMECA



GRIMECA Systems 7, 14 & 16
■ ASH983 ■ ASH983S




GRIMECA Systems 6, 6.1, 9, 9.1, 9.2
■ ASH985



GRIMECA
■ ASH990 ■ ASH990S



HAYES




HAYES HFX-Mag (all variants)
 HFX-9 (all variants)
■ ASH920 ■ ASH920S




HAYES El Camino
■ ASH921 ■ ASH921S



HAYES Stroker Trail
■ ASH922 ■ ASH922S



HAYES Stroker Ryde
■ ASH923 ■ ASH923S



HAYES Sole/MX2/MX3
■ ASH927 ■ ASH927S




BULK BRAKE PADS

All Fibrax disc brake pads are available in workshop bulk packs.

Less waste. Less packaging.
 Less space. Less cost.


Simply substitute 'ASH' for 'DSH' in the part code to order. DSH = 20 pairs.

HOPE




HOPE 2 Piston, Pro/Sport systems


■ ASH910 ■ ASH910S




HOPE Mono Mini ■ ASH911




HOPE V2 ■ ASH913




HOPE X2 ■ ASH914




HOPE Enduro 4, DH4,
2 piece caliper ■ ASH915S




HOPE Mini 2 ■ ASH918



HOPE Mono 6 (Ti)
■ ASH919 ■ ASH919S



HOPE Mono 4
■ ASH990 ■ ASH990S



HOPE Tech E4/RX4
■ ASH996 ■ ASH996S



DISC PADS

MAGURA

MAGURA Louise (Pre-07),
Clara (Pre-01)

■ ASH927 ■ ASH927S



MAGURA Louise (Pre-2000)

■ ASH960 ■ ASH960S



MAGURA Louise (Post-07)

■ ASH961 ■ ASH961S



MAGURA Marta

■ ASH963 ■ ASH963S




MAGURA Gustav ■ ASH965



MAGURA Clara (Post-01),
Louise (Post-04)

■ ASH967 ■ ASH967S



MAGURA Julie


■ ASH968 ■ ASH968S



MAGURA M2, M4 & M6

■ ASH969


NEW



PROMAX


PROMAX Hydraulic

ASH920 ASH920S



PROMAX DSK-400), DSK-610J,

XNine ASH925 ASH925S



PROMAX DSK-700

ASH926 ASH926S




PROMAX DSK-810

ASH927 ASH927S



QUAD

QUAD Mechanical ASH953



RST

RST Mechanical

ASH970 ASH970S



SHIMANO


SHIMANO XT M755

ASH990 ASH990S



SHIMANO Deore M515/525/465/
475/485/495, C501/C601

ASH991 ASH991S



SHIMANO Deore M555/M556
Nexave C900/901

ASH992 ASH992S



SHIMANO

SHIMANO XTR M965 & M966
XT M765/LX M585, Deore M535,
Hone/Saint M800

ASH993 ASH993S



SHIMANO Saint M810/M820
(4 Piston)

ASH994 ASH994S



SHIMANO XTR (Post 2011),
M8000/M9000

ASH995 ASH995S

NEW



SRAM HRD/LEVEL

SRAM HRD Red, Force,
Rival, Apex, S-700,
Level TLM/Ultimate

ASH997 ASH997S


NEW



TEKTRO


TEKTRO Gemini/Novela (Pre-10)

ASH955 ASH955S



TEKTRO IO


ASH958 ASH958S



TEKTRO Auriga/Sub/Tune/
E-Tune/E-Twin/E-Sub/E-Comp,
Aquila, Orion/SL, Gemini/SL,
Volans, Dorado, Mira

ASH991 ASH991S

NEW



TEKTRO Orion 4P, Dorado 4P

ASH994 ASH994S

NEW



”
Simply the best
pads we’ve
ever used.

Fibrax disc pads feel better, are more efficient, never fade despite the discs turning blue, are less like to squeal and feel better in the wet.” Ian

DISC BRAKE CLEANER

Fibrax Disc Brake Cleaner improves braking performance by cleaning your brake system deeply and effectively.

Our disc brake cleaner air dries without leaving a residue and is perfectly safe for use on plastic, rubber, titanium, carbon and painted surfaces.

FCM1008 - 400ml can

FCM1008B - Box of 12 cans

**UNFORTUNATELY, THIS PRODUCT CANNOT
BE SHIPPED OUTSIDE THE UK!**



NEW

FINNED PADS

We took the best parts from our standard semi-metallic brake pad and feedback from our sponsored riders to enhance performance under extreme braking conditions, ultimately reducing the temperature of the pad by more than 50 degrees! Our finned system is incredibly efficient and over 3.5 times cooler than the market leader. Finned pads are ideal for uplift days and Alpine-style riding.

Key Features:

- Ideal for trail centres and long technical descents
- Excellent braking power even in the worst weather and trail conditions
- Lightweight anodised back plate
- Designed and made for UK riding conditions
- Manufactured and tested to the highest standards

New models coming soon.

AVID ELIXIR & SRAM XX

AVID Elixir & SRAM XX -
Semi-Metallic FINNED Disc Brake Pad

■ ASH977F



FORMULA THE ONE / R1 / RX & MEGA

FORMULA The ONE / R1 / RX & Mega -
Semi-Metallic FINNED Disc Brake Pad

■ ASH947F



SHIMANO XTR (POST 11)

SHIMANO XTR (Post 11) -
Semi-Metallic FINNED Disc Brake Pads

■ ASH995F



AVID XO / ELIXIR TRAIL / GUIDE

AVID XO / Elixir Trail / Guide -
Semi-Metallic FINNED Disc Brake Pad

■ ASH974F



AVID CODE R

AVID Code R -
Semi-Metallic FINNED Disc Brake Pads

■ ASH979F



SHIMANO SAINT M810 / M820 (4 PISTON)


SHIMANO Saint M810 / M820 (4 Piston) -
Semi-Metallic FINNED Disc Brake Pad

■ ASH994F



NEW

DISC BRAKE ADAPTORS



International Standard (IS) and Post Mount (PM) compatible. From 140mm to 203mm.

Key Features:

- Aluminium
- Compatible with all brands
- From 140mm to 203mm
- Suit most combinations

POST MOUNT TO IS DISC BRAKE ROTOR ADAPTOR

Post Mount to IS F160 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 51mm International Standard frame mount to accommodate a 160 Front rotor.

FCR1006



Post Mount to IS F180/R160 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 51mm International Standard frame mount to accommodate a 180 Front rotor or 160 Rear rotor.

FCR1005



Post Mount to IS F203/R180 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 51mm International Standard frame mount to accommodate a 203 Front rotor or 180 Rear rotor.

FCR1004



POST MOUNT TO POST MOUNT DISC BRAKE ROTOR ADAPTOR

Post Mount to Post Mount F180 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 74mm post mount fork mount to accommodate a 180 Front rotor.

FCR1003



Post Mount to Post Mount F203 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 74mm post mount fork mount to accommodate a 203 Front rotor.

FCR1002



ROTORS

LIGHTWEIGHT ROTORS

NEW

Our new double-ground lightweight rotors feature improved cut-outs for superior heat dissipation, power and modulation, resulting in a rotor that gives you better brake performance across all levels and temperatures.

By increasing pad pressure, they significantly reduce stopping distances in both wet and dry conditions, whilst offering a huge confidence boost for riders. Our 160mm lightweight rotors weigh in at just 172g per pair, 33% less than other major brands!

Available in 140/160/180/203.

DISC ROTOR SERIES

- International standard six-bolt mounting
- Supplied with pre-threadlocked Torx bolts and a handy rotor wipe to remove contaminants after fitting
- Available in a range of sizes from 140mm to a massive 203mm, in both standard and lightweight formats.

”

Great Product!

These rotors are lightweight, look good on the bike and offer excellent value for money. *Alexander F.*

DISC ROTOR SERIES

STANDARD SILVER

FCR160 - 160mm Silver

FCR180 - 180mm Silver

FCR203 - 203mm Silver



LIGHTWEIGHT SILVER

FCR140L - 140mm Silver

FCR160L - 160mm Silver

FCR180L - 180mm Silver

FCR203L - 203mm Silver



LIGHTWEIGHT BLACK

FCR140ULB - 140mm Black

FCR160ULB - 160mm Black

FCR180ULB - 180mm Black

FCR203ULB - 203mm Black



ROTOR BOLTS

Torx Head Rotor Bolts

T25 Torx heads pre-thread locked for ISO standard rotors



FCB1128 - Retail pack of 6

FCB 3308 - Dealer pack of 100 in dispenser bottle

ROTOR WIPES

Disc Rotor Wipes

Dries leaving no residue and is safe on plastic, rubber, titanium, carbon and painted surfaces.



FCR1000 - Dealer pack of 50 individually wrapped wipes

HANDY HINT

Handling a rotor with your bare hands will transfer the oils from your skin to the braking surface, so we recommend you always use gloves and our disc brake cleaner when working on the brake system.

Add a 'B' to the end of any of the above codes to order in bulk packs of 5.

RIM PADS



**UNSURPASSED
BRAKING POWER**

FIBRAX[®]

UK Made Cycling Components

Manufactured in the UK using specially selected compounds, our rim pads have been developed to offer excellent braking power in both wet and dry conditions.

Fibrax Black The ideal pad for everyday use. Black provides a hard wearing, rim friendly surface with excellent modulation in both wet and dry conditions.

Fibrax Red Softer than Black, Red gives significantly improved braking power but with reduced modulation.

Fibrax Xtreme Perfect for wet and wintery conditions. Our unique formula ensures this hardwearing pad provides excellent braking and modulation when you need it most.

Fibrax Grey The ultimate pad for carbon rims, offering excellent stopping power in both wet and dry conditions.

'V' BRAKES & ROAD BRAKES

'V' BRAKES

Economy LX Replacement Pads

Supplied with washers and nut (where applicable).



ASH104 - Black, threaded
ASH108 - Black, post mount

Insert Cartridges for 'V' Brake Holders



ASH700 - Red
ASH701 - Black
ASH701E - Xtreme
ASH709 - Extra Value
2 Pair Pack

Insert Cartridges for 'V' Brake Holders



ASH705D - Dual Cure
(Toe-in)

XTR Upgrade Threaded Holders & Inserts



ASH760D - Dual Cure
(Toe-in)

Low Profile 'V' Brake Pads

Post or threaded variants



ASH710 - Black, threaded

Low Profile 'V' Brake Pads

Threaded variant only



ASH730 - Black
ASH730E - Xtreme

XTR Upgrade Threaded Holders & Inserts

Supplied with an extra set of black, red or Xtreme inserts



ASH750 - Black/Red
ASH750E - Black/Xtreme
ASH750B - Black/Black
ASH750EE - Xtreme/Xtreme

XTR Upgrade Threaded Holders & Inserts



ASH751E - Xtreme



TOE-IN



NEW

- High-performance material for alloy rims.
- Improved fit for use on Shimano, SRAM, TRP and all other major systems.
- Automatic toe-in feature – reduces noise, provides superior power and gives more control than ever before.

ROAD BRAKES

ROAD BRAKES

BMX Pads - 60mm L x 15mm W

For 'U' brake systems on
over-sized rims



ASH295 - Black

'Surestop' Cantilever Pads - 60mm



ASH298 - Black
ASH298R - Red

Insert Pads for Road Holders For Shimano Dura Ace*



ASH410 - Black (**Toe-in**)
ASH410R - Red (**Toe-in**)

**Toe-in feature currently only
available in red and black*

Insert Pads for Road Holders For Shimano Dura Ace



ASH410CA -
For Carbon Composite only

Insert Pads for Road Holders For Shimano Dura Ace



ASH410D - Dual Cure

Insert Pads for Road Holders For Shimano Dura Ace



ASH410E - Xtreme

Insert Pads for Road Holders For Shimano Dura Ace



ASH419 - Black, extra value
2 pair pack

Insert Pads for Road Holders For Campagnolo Record, Chorus and Athena



ASH420 - Black
ASH420R - Red

Insert Pads for Road Holders For Campagnolo Record, Chorus and Athena



ASH420E - Xtreme

Insert Pads for Road Holders For Campagnolo 2000



ASH430 - Black

Road Caliper Brake Holders & Inserts For Shimano and other systems. Supplied with an extra pair of inserts



ASH450 - Black/Red
ASH450B - Black/Black
ASH450E - Black/Xtreme
ASH450EE - Xtreme/Xtreme

Road Caliper Brake Holders & Inserts For Shimano and other systems



ASH460 - Black
ASH460R - Red
ASH451E - Xtreme

Road Caliper Brake Holders & Inserts For Shimano and other systems



ASH460CA -
For Carbon Composite only

Road Caliper Brake Holders & Inserts For Shimano and other systems



ASH460D - Dual Cure

Hydraulic Rim Pads For Magura systems



ASH651 - Black (x = 7mm)

Junior MTB Pads - 55mm Threaded & Post Mount Variants



ASH720 - Black, threaded
ASH820 - Black, post mount

OTHER BRAKES

Flat Top Pads - 55mm
For stirrup brakes



ASH3 - Black

Raleigh Roadster Pads - 45mm



ASH70 - Black

Carrier Brake Pads - 58mm



ASH144 - Black

Raleigh/Philips Pads - 45mm



ASH269 - Black

Weinmann/Raleigh/ Other Pads - 36mm



ASH292 - Black, 'X'-Pattern

BMX Style Pads - 35mm
Caliper fitting for alloy rims



ASH297 - Black

'Surestop' Caliper Pads - 60mm

Improved wear performance and larger pad surface



ASH299 - Black
ASH299R - Red

'Raincheater' Pads - 35mm

Caliper fitting for steel rims



ASH300R - Black with leather strip

'Alpine' Synthetic Pads - 48mm

Adjustable, with 20mm bolt for 'U' brakes and deluxe cantilever systems



ASH312 - Black

Synthetic Cantilever Pads - 48mm



ASH501 - Black, for alloy rims
ASH501R - Black, 'Raincheater' with leather strip for steel rims

'Alpine' Synthetic Pads - 50mm

For cantilever systems on alloy rims



ASH502 - Black



BULK BRAKE PADS

All Fibrax rim brake pads are available in workshop bulk packs.

Less waste.
Less packaging.
Less space.
Less cost.

Simply substitute 'ASH' for 'DSH' in the part code to order.

“ road.cc on our Road Caliper Xtreme Compound Brake Pad/Holder Set: Good brakes certainly encourage a quicker pace and it wasn't long before I was haring along the zigzags, confident of leaving braking to the last minute.

CABLES

CABLE SPECIFICATIONS

GALVANISED

These cables are hot-dip galvanised for corrosion resistance and predictable performance.

STAINLESS STEEL

Fibrax stainless steel cables offer superior strength and corrosion resistance for a virtually maintenance free cabling solution.



MTB Type
Brake Cable End (Barrel)



Road Type
Brake Cable End (Pear)



Gear Cable End Compatible
with Shimano & SRAM



Gear Cable End Compatible
with Campagnolo & Rohloff



CABLE TYPES

Fibrax fits a wide selection of cable ends, each designed to perfectly suit its application. Die cast from zinc, our cable ends offer a weatherproof fitting with a pull-off force that exceeds the braking strain for the cable to which it is fitted.

Common fittings are shown on the left to aid identification. **If the fitting you need is not shown, please contact your Fibrax distributor for a full list.**

SAY NO MORE TO TEFLON!

DIE DRAWN SLICK

NEW

Using a cold drawn process, we achieve a superior surface finish. Pulling the wire through dies flattens the surface and reduces friction. During the process, oil is forced into the gaps of the wire and secretes over time. This lubricates the casing and keeps your shifting and braking smoother for longer.

- **Works with 12 speed systems**
- No coating to rub off in the outer casing
- Pre-stretched for a more direct feel
- Stainless steel
- Increased tensile strength

The outer casing can be purged of dirt, thereby increasing performance.

Die Drawn Slick



Standard Cable



DIE DRAWN SLICK - BRAKE CABLES

Road Brake Inner for Shimano/SRAM

(Pear only)
(ø1.5mm), 1.8m - Die Drawn



FCB1143

Tandem Brake Inner for Shimano/SRAM/Campagnolo

(Universal)
(ø1.5mm), 3.05m - Die Drawn



FCB1145

MTB Brake Wire

(Barrel only)
(ø1.5mm), 1.8m - Die Drawn



FCB1150

FCB3150 - 100 in File Box

Brake Wires for Shimano/SRAM

(Pear only)
(ø1.5mm), 1.8m - Die Drawn
100 in File Box



FCB3149

DIE DRAWN SLICK - GEAR CABLES

Gear Wire for Campagnolo

(ø1.1mm), 2.2m - Die Drawn



FCG1116

MTB & Road Gear Inner Wire for Shimano/SRAM

(ø1.1mm), 2.2m - Die Drawn



FCG1139

Tandem MTB & Road Gear Inner Wire for Shimano/SRAM/Campagnolo

(ø1.1mm), 3.05m - Die Drawn



FCG1141

Gear Inner Wire for Campagnolo

(ø1.1mm), 2.2m - Die Drawn
100 in File Box



FCG3122

MTB & Road Gear Wire for Shimano/SRAM

(ø1.1mm), 2.2m - Die Drawn
100 in File Box



FCG3128

BRAKE CABLES

All brake cables are available as **Universal** (double ended) or **Barrel (B)** and **Pear (P)**. Please specify when ordering.

GALVANISED BRAKE CABLES

Brake Inner Wires

For rear.



FCB1100 - Galvanised

Barrel Only. Supplied as 100 wires on an inner reel in a file box.



FCB3100 - Galvanised (Barrel only)

Pear only. Supplied as 100 wires on an inner reel in a file box.



FCB3103 - Galvanised (Pear only)

Brake Cables

For rear. Supplied with 6 ferrules & wire end covers.



FCB1200 - Galvanised

Brake Front Cable

Supplied with 6 ferrules & wire end covers.



FCB1213 - Galvanised

STAINLESS STEEL BRAKE CABLES

Brake Inner Wires

For rear.



FCB1102 - Stainless Steel

Barrel Only. Supplied as 100 wires on an inner reel in a file box.



FCB3102 - Stainless Steel (Barrel only)

Pear only. Supplied as 100 wires on an inner reel in a file box.



FCB3105 - Stainless Steel (Pear only)

Brake Tandem Inner Wire

Length 3.05m.



FCB1139 - Stainless Steel

Brake Cables

Stainless Steel for rear. Supplied with 6 ferrules & wire end covers.



FCB1245 - White

FCB1246 - Blue

FCB1247 - Red

Silver braided for rear. Supplied with 6 ferrules & wire end covers.



FCB1218 - Stainless Steel (sealed ferrules)

For rear. Supplied with 6 ferrules & wire end covers.



FCB1202 - Stainless Steel

Brake Front Cable

Supplied with 6 ferrules & wire end covers.



FCB1215 - Stainless Steel




BULK CABLES

Fibrax wires and casing are also available in bulk.

2P BRAKE CABLE HOUSING

The Fibrax 2P Brake Cable Housing utilises a hard wearing, low friction, waterproof liner that gives excellent protection for your cables. A hard wearing polymer is used to protect the whole assembly, ensuring low maintenance and precise braking for years to come.



OTHER BRAKE CABLES

BMX Rotation Brake Cables

Suit Odyssey Gyro & Gyro2 Systems

FCB1209 - Lower (1178mm)


FCB1210 - Upper (400mm)

FCB1211 - Upper (435mm)


FCB1212 - Upper (475mm)



” Top quality
cables come with all the bits you
need to achieve a professional job.”
Jeff



Brake 2P Outer Casing



FCB3106 - Black 30m (Reel in a file box)

FCB3107 - Black 500m (Box)

FCB3107R - Red 500m (Box)

FCB3107W - White 500m (Box)

FCB3107BLE - Blue 500m (Box)

FCB3127 - Braided 30m (Reel in a file box)

FCB3146 - White 15m (Bag)

FCB3147 - Blue 15m (Bag)

FCB3148 - Red 15m (Bag)

Brake 2P Brake Outer Casing

Supplied with 8 ferrules



FCB2102 - 2m length

GALVANISED GEAR CABLES

Sturmev Archer Universal Trigger Cable



FCG1203 - Galvanised

Gear Inner Wire (ø1.2mm)



FCG1100 - Galvanised

Gear Inner Wires

(ø1.2mm). Tube only. Supplied as 100 wires on an inner reel in a file box.



FCG3100

- Galvanised

Gear Cable

Supplied with 6 ferrules & wire end covers.



FCG1200 - Galvanised

STAINLESS STEEL GEAR CABLES

Gear Inner Wire (ø1.2mm)



FCG1102 - Stainless Steel

SRAM Inner Wire



FCG1111 - SRAM Stainless Steel

Gear Inner Wires

(ø1.1mm). Tube only. Supplied as 100 wires on an inner reel in a file box.



FCG3105 - Stainless Steel for Shimano

Gear Inner Wires

(ø1.2mm). Tube only. Supplied as 100 wires on an inner reel in a file box.



FCG3102 - Stainless Steel

Gear Cable

Supplied with 6 ferrules & wire end covers.



FCG1202 - Stainless Steel

Braided. Supplied with 6 ferrules & wire end covers.



FCG1206 - Stainless Steel, length 1.8m

FCG1207 - Stainless Steel, length 2.2m

Stainless Steel. Supplied with 6 ferrules & wire end covers.



FCG1208 - White


FCG1209 - Blue

FCG1210 - Red



SP4 GEAR CABLE HOUSING

Fibrax SP4 Gear Cable Housing uses the same hard wearing, low friction inner liner as our 2P casing. A helical core gives it a strong, **zero compression shift**, which is compatible with the new 12 speed groupsets.



OTHER GEAR CABLES

Gear SP4 Outer Casing

With standard or sealed ferrules. 6 extra ferrules included with 2000mm variant



FCG2102 - 2000mm (Standard ferrules)

FCG2105 - 300mm (Standard ferrules)

FCG2106 - 600mm (Standard ferrules)

FCG2107 - 300mm (Sealed ferrules)

FCG2108 - 600mm (Sealed ferrules)

HANDY HINT

When cutting the outer casing square and opening the liner, use an awl to decrease friction.



Gear SP4 Outer Casing

FCG3103 - Black 30m (Reel in a file box)

FCG3104 - Black 500m (Box)

FCG3104R - Red 500m (Box)

FCG3104W - White 500m (Box)

FCG3104BLE - Blue 500m (Box)

FCG3125 - White 15m (Bag)

FCG3126 - Blue 15m (Bag)

FCG3127 - Red 15m (Bag)

FCG3205 - Braided 30m (Reel in a file box)



Standard or sealed ferrules. (50 Pack)

FCG3111 - 300mm (Standard ferrules)

FCG3112 - 600mm (Standard ferrules)

FCG3113 - 300mm (Sealed ferrules)

FCG3114 - 600mm (Sealed ferrules)



Gear SP5 Outer Casing

FCG3106 - Black 30m (file box)

FCG3107 - Black 400m (reel)



NEW

TYRE LEVER



FCM1006B

The tyre lever, though one of the most basic of cycling tools, is used by almost every cyclist.

The Aero Lever, designed and manufactured by Fibrax, outperforms the rest.

Our lever has been designed to fit comfortably in the hand; its lack of sharp edges give it an ergonomic feel. Its longer length reduces the load the user needs to exert and its wedge tip aids insertion.

The Aero Lever is a tool for all and perfect for the jersey pocket or hydration pack.

NEW

**AVAILABLE
SOON...**

MTB Long Sleeve Jersey

T-Shirts

Mugs

and much more...

Visit fibrax.com for
more information.

NEW

CABLE CUTTER



FCM1010

If you carry out your own bike maintenance, you'll need a high-quality cable cutter. The Fibrax cable cutter is ideal for cutting brake or gear cables at home or in small workshops.

The Fibrax cable cutter is part of a new range of no nonsense accessories and tools, designed by our in-house team of professional mechanics with feedback from home users. This innovative cutter features a spring-loaded opening for ease of use and rubber coated handles for added comfort.

Our one-handed locking system ensures they can be neatly and safely stored away when not in use.

Key features:

- Suitable for cutting all types of outer casings and inner wires
- Hardened steel jaws
- Rubber coated handle
- One handed opening for quick use

The Fibrax cable cutters are part of a new range of no-nonsense accessories and tools, designed with input from pro-mechanics and home users; these essentials are engineered to do the job.

NEW

ULTRALIGHT CABLE KITS

BRAKE & GEAR

Our Ultralight range brings together best-in-class components to offer you the **ULTIMATE** shifting and braking technology.

By combining our high-performance die drawn wire with our ultralight casing and CNC ferrules, you can achieve the crispest shift on the market's lightest casing.

Now you can go further with Fibrax.

FCB2205 Ultralight Brake Cable Kit (Barrel) - 3300mm long

FCB2206 Ultralight Brake Cable Kit - Standard (Barrel)

FCB2207 Ultralight Brake Cable Kit - Standard (Pear)

FCB2208 Ultralight Brake Cable Kit (Pear) - 3300mm long

FCG2204 Ultralight Dropper Post Upgrade Kit

FCG2205 Ultralight Gear Cable Kit - 3300mm Long

FCG2206 Ultralight Gear Cable Kit - Standard



CABLE KITS



Factory Jackson said:

“These sealed Fibrax cables work **flawlessly** once installed and really **keep the winter grime at bay**. They cost a little more than a non-sealed cable set, but the **durability** is well worth it.”

”

FIBRAX PRO-FORMANCE SEALED DERAILLEUR KIT

The British weather takes its toll on all cycling components, so protect your pride and joy with our sealed cable kit.

Our fully sheathed system keeps moisture, mud and all other nasties away from your cables, giving you one less excuse to miss that bike ride.

Our sealed cable kit is perfect for commuting, CX, trail bikes and winter training bikes.



Fibrax Pro-formance Sealed Derailleur Kit (FCG2200)

Fully sealed gear cable system, maintenance free super smooth shifting

- Totally sealed with a clear plastic inner casing from the shifter to the mech end
- Replacement inner casings are available for sale:
FCG2201 - Rear Inner Tube 2.05m
FCG2202 - Front Inner Tube 1.75m
- Extra outer casing is available direct from Fibrax, if required.

Full fitting instructions can be found at www.fibrax.com under the **FCG2200** item.

KIT CONTENTS



2 x sleeved inner wire
(1.8 & 2.1m)



12 x strong ferrules



Outer casing (2.7m)



2 x end cap



6 x soft rubber
frame protector

GEAR CABLE KIT

Includes cable outer for front and rear. Supplied with 8 ferrules and wire end covers.



FCG2104 - Stainless Steel

BRAKE CABLE KIT

Includes cable outer for rear. Supplied with 8 ferrules and wire end covers.

FCB2104 - Stainless Steel & Black Outer Casing



NEW

ULTRALIGHT COMPRESSIONLESS BRAKE & GEAR CASING

Manufactured with an **aluminium core** rather than steel, the weight is kept to a minimum, saving 60% over our standard casing.

With improved flexibility, the **Kevlar overwrap** and compressionless linear core gives the system complete accuracy of movement with significantly less cable drag.

FEATURES:

- Aluminium and Kevlar construction
- Lightweight
- Compressionless linear core
- Reduced drag design

FCB3153

Ultralight compressionless
brake outer casing - 15m

FCG3130

Ultralight compressionless
gear outer casing - 15m



NEW

LIGHT-WEIGHT FERRULES

Superior quality.
CNC machined aluminium.

Our CNC ferrules keep the casing square in the ferrule and frame, reducing cable deformation and friction, whilst giving the system a lighter, crisper lever actuation.

FEATURES:

- CNC machined
- Lightweight aluminium
- Anodised and laser etched
- Reduced drag design



FCB3154
10 CNC Metal Brake Ferrules

FCG3131
10 CNC Metal Gear Ferrules

E-BIKES



**BATTERY COVER
COMING SOON!**

E-BIKE MOTOR COVER

The Fibrax Motor Cover is suitable for any e-bike with a center motor from **Bosch, Shimano, Impulse, Yamaha, Brose, TranzX** and **Panasonic**.

It can be adapted to fit individual frames and motor shape by using velcro strips. Correctly mounted, the Fibrax Motor Cover fits tightly around the motor and frame, significantly reducing the risk of damage to the bodywork of your e-bike.

The Fibrax Motor Cover offers transport protection and must be taken off before using the e-bike. It is not manufactured to keep the motor dry but prevents the direct impact of spray water. The holes in the bottom of the cover allow the drainage of any entering moisture.




FCM1009




Look out for
this symbol for
all our current
e-bike products

AVID




 AVID XO Trail, Guide,
Elixir Trail
ASH974EB



 AVID Elixir, SRAM XX
ASH977EB




NEW

 AVID Code R
(Post 2012)
ASH979EB




MAGURA






 MAGURA M2, M4 & M6
ASH969EB





SHIMANO



 SHIMANO Deore
M515/525/465/
475/485/495, C501/
C601
ASH991EB



 SHIMANO Deore,
SLX, XT, XTR
ASH995EB



NEW

 SHIMANO Saint
M810/M820 (4 Piston)
ASH994EB




E-BIKE BRAKE PADS

SRAM HRD/LEVEL

NEW




SRAM HRD Red, Force, Rival, Apex, S-700, Level TLM/Ultimate ASH997EB




TEKTRO



TEKTRO Orion 4P, Dorado 4P ASH994EB



TEKTRO Auriga/Sub/Tune/E-Tune/E-Twin/E-Sub/E-Comp, Aquila, Orion/SL, Gemini/SL, Volans, Dorado, Mira ASH991EB



RIM PAD



XTR UPGRADE HOLDERS & INSERTS ASH751EEB


“Nothing comes close to how **GOOD these are!!** We run these at race pace from the minute the pads are fitted, in all weather conditions, on our e-bike. They have a **terrific wear rate**, considering how well they work. Worth every penny.”
Mike E.

“Pimp your bike.

Fibrax offer a great range of colours for crimps for bike cables allowing that extra touch of pimping your bike deserves.”

Anthony R., Truewheels

”



ACCESSORIES

STAFF PICK

Sprial Frame Protector

For use on any cable – gear, brake and hose. Available in black, white, red or mixed.



6 Pack

FCM1005B - Black

FCM1005R - Red

FCM1005W - White

150 Pack.

FCM3005B - Black

FCM3005R - Red

FCM3005W - White

FCM3005MIX - Mix



IT'S ALL IN THE DETAIL!

Frame Protector O Rings



FCB1113 - Retail pack of 9

O-Rings

For inner wire.
600 supplied in a dispenser bottle.



FCB3303 - ø1.5mm inner wire

FCG3201 - ø1.2mm inner wire

“U” Brake Hose Clips

NEW

Just push over the brake hose and click into the frame.



FCM1011 - Pack of 10

FCM3008 - Pack of 50

FCM3009 - Pack of 1,000

Bar End Plug

NEW

Protects your bars from water and dirt ingress. Push fit in seconds.



FCM1012 - Pack of 2

FCM3007 - Pack of 60

Cantilever Brake Straddle Wire

a = standard, a&b = universal

(a)



(b)



FCB1104 - Galvanised Standard

FCB1105 - Galvanised Universal

Cantilever Brake Cable Hanger & Straddle Wire Kit



FCB1115 - Galvanised

'V' Brake Guide Pipe & Rubber Boot



FCB2290 - 90°
FCB2291 - 135°

100 supplied in a bag
FCB3115 - Rubber boots only
FCB3116 - 90° pipes & boots
FCB3117 - 135° pipes & boot

Push Fit Sealed Ferrules

For 4mm gear outer casing.
50 supplied in a dispenser bottle.



FCG3202 - For SP4 (4mm) cable outer

Push Fit Ferrules

For outer casing. 150 supplied in a dispenser bottle.



FCB3304 - For 2P/SP5 (5mm) cable outer
FCG3200 - For SP4 (4mm) cable outer

Brake Lever Cable Adjusters

Alloy.



FCB1111 - Retail pack of 2
FCB3309 - Supplied in a pack of 100.

Brake Cable Pinch Bolts

For road calipers



FCB1114 - Retail pack of 2
FCB3311 - Supplied in a pack of 100

Solderless 6mm Barrel Nipples

100 supplied in a dispenser bottle.



FCB3307

Anodized M5 X 15mm Bottle Cage/Rock Bolts

Supplied 2 per order or 50 per order



FCM1000 - Red, pack of 2
FCM3000 - Red, pack of 50
FCM1001 - Black, pack of 2
FCM3001 - Black, pack of 50
FCM1002 - Blue, pack of 2
FCM3002 - Blue, pack of 50
FCM1003 - Green, pack of 2
FCM3003 - Green, pack of 50
FCM1004 - Gold, pack of 2
FCM3004 - Gold, pack of 50

Crimp Fit Ferrules

For brake cables.
200 supplied in a dispenser bottle.



FCB3302 Brake cables
FCG3204 Gear cables

Coloured Alloy Ferrules

50 supplied in a dispenser bottle.



FCB3313MIX - For 2P/SP5 casing & ø1.5mm wire
FCB3313 - Silver
FCB3313BLE - Blue
FCB3313BLK - Black
FCB3313RED - Red
FCB3313GRN - Green

FCG3203MIX - For SP4 casing & ø1.2mm wire

FCB3203 - Silver
FCB3203BLE - Blue
FCB3203BLK - Black
FCB3203RED - Red
FCB3203GRN - Green

*FCG variants supplied with black adapter sleeves for fitment to SP4 outer.

Heavy Duty Ferrules



Silver Premium Heavy Duty Brake Ferrules
50 supplied in a plastic dispenser bottle.
FCB3313HD

Silver Premium Heavy Duty Gear Ferrules
With inner sleeves to fit 4mm gear casing.
50 supplied in a plastic dispenser bottle.
FCG3203HD

Crimp Fit Wire End Covers

500 supplied in dispenser bottle.



FCB3301 - Silver only
FCB3301MIX - Assorted colours
FCB3301BLE - Blue
FCB3301BLK - Black
FCB3301RED - Red
FCB3301GRN - Green
FCB3301GLD - Gold

HYDRAULIC HOSE KITS




Excellent product,

10/10
for quality

Rollin

FIBRAX STAINLESS STEEL BRAIDED HYDRAULIC HOSE



- Super flexible construction allows better routing on the cycle
- Rated to 13,000psi (89,000 kPa) for superior performance
- Tough PVC outer protects both hose and frame
- Suitable for use with all common hydraulic fluids



*If you are unsure of the correct way to fit any parts,
please consult a certified dealer or bicycle mechanic.*

FCB3338 - 15m Reel of Fibriflex®Hose

HYDRAULIC HOSE KITS & FITTING

FIBRAFLEX HOSE KITS

Contains super flexible stainless steel braided hose plus fittings.
Front kits contain 0.9m of hose and rear kits contain 1.8m of hose.

Kit 1 is suitable for:

- Avid (Not Avid Elixir 1 & 3 & not SRAM XX 2010/11)
- Magura (pre 2012) excluding Big Twin
- Hayes HFX/Sole/Dyno

FCB1300 - Kit 1 Front

FCB1301 - Kit 1 Rear

Kit 2 is suitable for:

- HOPE
- FORMULA (2011/2012)
- Magura (2012) excluding Big Twin
- Hayes Stroker/El Camino/Prime
- SRAM XX 2010/11
- Shimano Zee/Saint/XTR
- Shimano XT (755/765/776/785)
- Shimano SLX (666/675)
- Shimano Deore (525/535/595)

FCB1302 - Kit 2 Front









FCB1303 - Kit 2 Rear

Kit 3 is suitable for:

- Avid Elixir 1 & 3
- Shimano Deore 555
- Shimano LX & Shimano SLX 665
- Shimano XT 775
- Shimano XTR 975

FCB1304 - Kit 3 Front

FCB1305 - Kit 3 Rear

| Item | Kit 1 | Kit 2 | Kit 3 |
|--|-------|-------|-------|
| FCB3404  | 1 | 1 | 2 |
| FCB3405  | 2 | 2 | 2 |
| FCB3406  | 2 | 2 | 2 |
| FCB3407  | 1 | 1 | 0 |
| FCB3410  | 1 | 1 | 1 |
| FCB3408  | 0 | 1 | 0 |
| FCB3409  | 0 | 1 | 0 |
| FCB3327  | 0 | 2 | 0 |

Fibraflex Replacement Hydraulic Brakeline Kits

NEW













- High quality stainless steel fittings
- Sharper response
- Improved heat dissipation
- Improved strength and durability

HYDRAULIC BRAKELINE DEALER PACK

- High quality fittings to replace hoses on 10 hydraulic systems
- Each fitting available in top-up packs using the codes listed
- Designed for use with Fibraflex stainless steel braided hydraulic hose

FCB3403

| | | | |
|---|--|--|---|
| FCB3404  Lever Connector x 10 | FCB3405  Hose Connector x 20 | FCB3406  Barbed Connector x 20w | FCB3407  Straight Connector x 10 |
| FCB3408  Banjo End x 10 | FCB3409  Banjo Bolt x 10 | FCB3325  Alloy Washer x 20 | FCB3327  "O" Ring (OD 8mm x 1mm) x 20 |
| FCB3332  Stainless Steel Shim (0.2mm) x 20 | FCB3410  Spiral Frame Protector x 10 | FCB3333 - Hydraulic Hose Guide x 10  Note: FCB3333 is not supplied in the dealer pack. However, they can be ordered separately as a refill pack of 10. | |

FIBRAX DISTRIBUTORS

BORN IN NORTH WALES - RIDDEN WORLDWIDE

GB Distributors

Ison Distribution Ltd
Mackadam Factors Ltd
M & J Distributors Ltd
Raleigh UK Ltd
Reece Cycles Plc
The Cycle Division

Telephone

01353 662 662
029 2023 1203
0161 337 9600
01773 532 691
0121 622 0180
08450 508 500

Email

sales@ison-distribution.com
mackadams@btconnect.com
sales@mjdistributors.co.uk
sales@raleigh.co.uk
sales@reececycles.co.uk
sales@thecycledivision.com

Worldwide Distributors

CA Canada Orange Sport
CHL Motorex Lab
DE Fasi-Sicherheitsprodukte GmbH
FI Tunturi-Hellberg Oy Ltd
FR Proconcept 2 Roues
IE Huet Distributors
IT Atala
NL Junker Bike Parts
NZ H S White & Son Ltd
PL Xterra Poland
RO Sc. DHS Bike Parts Srl.

Telephone

+1 604 990 5110
+56 229 802912
+49 5551 2246
+358 10 2733 210
+33 0251 818100
+353 1295 3709
+39 039 2045391
+31 0318 553030
0800 803 642
+48 602 496364
+4 0372 777999

Email

info@orangesportsupply.com
felipe@motorexlab.cl
fasi-sicherheitsprodukte@t-online.de
sales@tunturi.com
contact@p2r-net.com
huetdistributors.eircom.net
info@atala.it
info@juncker.nl
sales@hswhite.co.nz
g.kopacz@o2.pl
office@dhsbikeparts.ro

If you are unsure of the correct way to fit any parts you need to consult a certified dealer or bicycle mechanic. Details correct at time of printing.

Shimano® is the registered trademark of Shimano Inc. | Campagnolo® is the registered trademark of Campagnolo SRL Italy | SCOTT Sports® is the registered trademark of SCOTT Sports SA



WE CAN HELP YOU WITH
**MARKETING
PRINT
DESIGN
EVENT
DESIGN**
AND MUCH MORE

MAKO

Part of the Fibrax Group

t: 01978 856456

e: info@makocreative.co.uk

www.makocreative.co.uk

MakoCreative MakoCreativeSolutionsLtd [mako.creative](https://www.instagram.com/mako.creative)

creative by nature - results by design



www.fibrax.com

 [fibraxuk](https://www.instagram.com/fibraxuk)

 [fibraxltd](https://twitter.com/fibraxltd)

 [fibraxltd](https://www.facebook.com/fibraxltd)



FIBRAX[®]
UK Made Cycling Components

Fibrax Ltd, Queensway, Wrexham LL13 8YR. UK
T: +44 (0)1978 356744 E: info@fibrax.co.uk

PREMIUM
FX
Quality
SINCE
1902
PRODUCTS



Fibrax is accredited by the British Standards Institute to ISO9001 for quality and ISO14001 for environmental management. Fibrax brake pads meet or exceed relevant BS EN bicycle standards.