



Since 1902, Fibrax has been pioneering advancements in cycling performance. Over the last century, both materials and manufacturing processes have changed considerably but our commitment to continual improvement has remained steadfast. enabling us to offer a high quality, reliable product range.

We design, develop and manufacture a comprehensive range of brake pads, disc pads, rotors, rim pads, cables and spare components.

Our team of product development engineers are all cycle enthusiasts, which gives us the edge when it comes to testing and refining our latest innovations.

Whether you get your kicks from the speed of a road bike or thrills of an MTB, we are passionate about producing the right product to help you go further.

Our products are manufactured and developed in the UK and distributed worldwide. We are part of the Fibrax Group, which also produces high precision moulded components to the automotive industry. Our stringent manufacturing processes ensure you enjoy superior products and an unforgettable riding experience.



CAMPBELL COACHING

Discipline: MTB

Based in Afan and Llangollen, Ali and Bob offer MTB coaching and

They have private coaching venues designed specifically to progress their clients' skills away from the public, allowing for quicker progression.



STEVE DAY

aka "Machine" & "Wolverine" **TRAVERS - E3COACH**

Discipline: Singlespeed Mountain Bike

2016 Champion:

- WEMBO singlespeed 24hr solo world champion
- Mountain Mayhem solo winner overall and singlespeed categories
- Torq12 Vets and Singlespeed winner
- UK Singlespeed Championships winner



TORQ PERFORMANCE TORQ PERFORMANCE TRIATHLON AND MOUNTAIN BIKE TEAMS

Discipline: Cross Country, Marathon Mountain Biking, Triathlon

Exceptional performances at the sharp end of the UK domestic race scene in 2016 and 2017 saw teams from Torq Performance dominate a variety of age groups, the national elite riders and a multitude of distances.



FIBRAX WREXHAM ROADS CLUB

Discipline: Road & Circuit, Time Trial, Cyclo-Cross,

Mountain & XC

Fibrax Wrexham Roads Club is a long-established cycling club based in Wrexham, North Wales. The club has a broad membership of both men and women, from experienced racers competing in time trials at a national level to novice riders who ride for fitness and fun.





MARKUS STITZ BIKEPACKING SCOTLAND

Discipline: Bikepacking, Singlespeed

Markus discovered his love for off-road biking in 2014. He has cycled 34,000km around the world and now runs Bikepacking Scotland, which encourages people to discover and harness a sense of adventure!



ROTOR RACE TEAM


Discipline: MTB XC and Cyclocross

The ROTOR Race Team is a new MTB XC and Cyclocross team built on the principles of team spirit, mutual support and great camaraderie in all races in which we are involved. Velotech Services supports three of the UK's biggest XC series (Midlands, Southern and Eastern) and we have riders competing at national level across several age groups. The men and women in this exciting team are proud to represent all our sponsors.



MATT "TAZ" WADIE BACK OF THE PACK RACING Discipline: Singlespeed rigid

Matt has been riding since the 1980s. He embraced singlespeed and has won multiple awards in events up and down the country.




TRIED AND TESTED

Testing is key to product innovation and we have developed a brake testing rig that mimics a variety of rides. This equipment also helps us test how our equipment performs in different conditions; we can even tell you the exact place your tyre will start to skid in the wet!




WORKING CALIPER TEMPERATURE RANGE OF DISC PAD




DISC PADS

AVID



DIATECH



FORMULA FORMULA **B4** ASH943 ASH943S FORMULA Oro ASH946 ASH946S








GRIMECA Systems 2, 2.1 & 2.2, 5 & 5.1

GRIMECA



ASH981

GRIMECA

GRIMECA Systems 7, 14 & 16 ASH983 ASH983S

HAYES















BULK BRAKE PADS


All Fibrax disc brake pads are available in workshop bulk packs.

Less waste. Less packaging. Less space. Less cost.

Simply substitute 'ASH' for 'DSH' in the part code to order. DSH = 20 pairs.



HOPE




DISC PADS

MAGURA



PROMAX PROMAX **Hydraulic** PROMAX DSK-400), DSK-610J, ASH920 ASH920S **XNine** ASH925 ASH925S PROMAX DSK-810 PROMAX DSK-700 ASH927 ASH927S ASH926 ASH926S



SHIMANO



SHIMANO

SHIMANO XTR M965 & M966 XT M765/LX M585, Deore M535, Hone/Saint M800

ASH993 ASH993S







SRAM HRD/LEVEL

NEW

SRAM HRD Red, Force, Rival, Apex, S-700,

Level TLM/Ultimate ASH997 ASH997S



TEKTRO

TEKTRO Gemini/Novela ASH955 ASH955S






Simply the best pads we've ever used

Fibrax disc pads feel better, are more efficient, never fade despite the discs turning blue, are less like to sequel and feel better in the wet." lan

TEKTRO Auriga/Sub/Tune/ E-Tune/E-Twin/E-Sub/E-Comp, Aquila, Orion/SL, Gemini/SL,

NEW

Volans, Dorado, Mira ASH991 ASH991S









Key Features:

- Ideal for trail centres and long technical descents
- Excellent braking power even in the worst weather and trail conditions
- Lightweight anodised back plate
- Designed and made for UK riding conditions
- · Manufactured and tested to the highest standards

New models coming soon.

AVID ELIXIR & SRAM XX

AVID Elixir & SRAM XX -Semi-Metallic FINNED Disc Brake Pad



FORMULA THE ONE / R1 / **RX & MEGA**

FORMULA The ONE / R1 / RX & Mega -Semi-Metallic FINNED Disc Brake Pad

ASH947F



SHIMANO XTR (POST 11)

SHIMANO XTR (Post 11) -Semi-Metallic FINNED Disc Brake Pads ASH995F



AVID XO / ELIXIR TRAIL / GUIDE

AVID XO / Elixir Trail / Guide -Semi-Metallic FINNED Disc Brake Pad



AVID CODE R

AVID Code R -Semi-Metallic FINNED Disc Brake Pads




SHIMANO SAINT M810 / M820 (4 PISTON)

SHIMANO Saint M810 / M820 (4 Piston) -Semi-Metallic FINNED Disc Brake Pad

ASH994F





POST MOUNT TO IS DISC BRAKE ROTOR ADAPTOR

Post Mount to IS F160 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 51mm International Standard frame mount to accomodate a 160 Front rotor.

FCR1006



Post Mount to IS F180/R160 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 51mm International Standard frame mount to accommodate a 180 Front rotor or 160 Rear rotor.

FCR1005



Post Mount to IS F203/R180 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 51mm International Standard frame mount to accommodate a 203 Front rotor or 180 Rear rotor.

FCR1004



POST MOUNT TO POST MOUNT DISC BRAKE ROTOR ADAPTOR

Post Mount to Post Mount F180 Disc Brake Rotor Adaptor

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 74mm post mount fork mount to accommodate a 180 Front rotor. FCR1003



Post Mount to Post Mount F203 Disc Brake Rotor **Adaptor**

Fibrax disc brake adaptor mounts a 74mm post mount caliper to a 74mm post mount fork mount to accommodate a 203 Front rotor. FCR1002



LIGHTWEIGHT ROTORS

Our new double-ground lightweight rotors

feature improved cut-outs for superior heat dissipation, power and modulation, resulting in a rotor that gives you better brake performance across all levels and temperatures.

By increasing pad pressure, they significantly reduce stopping distances in both wet and dry conditions, whilst offering a huge confidence boost for riders. Our 160mm lightweight rotors weigh in at just 172g per pair; 33% less than other major brands!

Available in 140/160/180/203.

DISC ROTOR SERIES

- International standard six-bolt mounting Supplied with pre-threadlocked Torx bolts and a handy rotor wipe to remove contaminates
 - Available in a range of sizes from 140mm
 - to a massive 203mm, in both standard and lightweight formats.

These rotors are lightweight, look good on the bike and offer excellent value for money. Alexander F.

DISC ROTOR SERIES

STANDARD SILVER

FCR160 - 160mm Silver FCR180 - 180mm Silver FCR203 - 203mm Silver

LIGHTWEIGHT SILVER

FCR140L - 140mm Silver FCR160L - 160mm Silver FCR180L - 180mm Silver



LIGHTWEIGHT BLACK

FCR140ULB - 140mm Black FCR160ULB - 160mm Black FCR180ULB - 180mm Black FCR203ULB - 203mm Black



Add a 'B' to the end of any of the above codes to order in bulk packs of 5.

ROTOR BOLTS

Torx Head Rotor Bolts

T25 Torx heads pre-thread locked for ISO standard rotors



FCB1128 - Retail pack of 6 FCB 3308 - Dealer pack of 100 in dispenser bottle

ROTOR WIPES


Disc Rotor Wipes

Dries leaving no residue and is safe on plastic, rubber, titanium, carbon and painted surfaces.



FCR1000 - Dealer pack of 50 individually wrapped wipes

HANDY HINT Handling a rotor with your bare hands will transfer the oils from your skin to the braking surface, so we recommend you always use gloves and our disc brake cleaner when working on the brake system.





UK Made Cycling Components

Manufactured in the UK using specially selected compounds, our rim pads have been developed to offer excellent braking power in both wet and dry conditions.

- **Fibrax Black** The ideal pad for everyday use. Black provides a hard wearing, rim friendly surface with excellent modulation in both wet and dry conditions.
- **Fibrax Red** Softer than Black, Red gives significantly improved braking power but with reduced modulation.
- **Fibrax Xtreme** Perfect for wet and wintery conditions. Our unique formula ensures this hardwearing pad provides excellent braking and modulation when you need it most.
- **Fibrax Grey** The ultimate pad for carbon rims, offering excellent stopping power in both wet and dry conditions.

'V' BRAKES & ROAD BRAKES

'V' BRAKES

Economy LX Replacement Pads

Supplied with washers and nut (where applicable).



ASH104 - Black, threaded ASH108 - Black, post mount

Insert Cartridges for 'V' Brake Holders



ASH700 - Red ASH701 - Black ASH701E - Xtreme ASH709 - Extra Value 2 Pair Pack

Insert Cartridges for 'V' Brake Holders



ASH705D - Dual Cure (Toe-in)

XTR Upgrade Threaded **Holders & Inserts**



ASH760D - Dual Cure (Toe-in)

Low Profile 'V' Brake Pads

Post or threaded variants



ASH710 - Black, threaded

Low Profile 'V' Brake Pads

Threaded variant only



ASH730 - Black ASH730E - Xtreme

XTR Upgrade Threaded **Holders & Inserts**

Supplied with an extra set of black, red or Xtreme inserts



ASH750 - Black/Red ASH750E - Black/Xtreme ASH750B - Black/Black ASH750EE - Xtreme/Xtreme

XTR Upgrade Threaded **Holders & Inserts**



ASH751E - Xtreme



TOE-IN





- · High-performance material for alloy rims.
- Improved fit for use on Shimano, SRAM, TRP and all other major systems.
- Automatic toe-in feature reduces noise, provides superior power and gives more control than ever before.

ROAD BRAKES

BMX Pads -60mm L x 15mm W

For 'U' brake systems on over-sized rims



ASH295 - Black

'Surestop' Cantilever Pads - 60mm



ASH298 - Black ASH298R - Red

Insert Pads for Road Holders

For Shimano Dura Ace*



ASH410 - Black (Toe-in) ASH410R - Red (Toe-in)

*Toe-in feature currently only available in red and black

Insert Pads for Road Holders

For Shimano Dura Ace



ASH410CA -

For Carbon Composite only

Insert Pads for Road Holders

For Shimano Dura Ace



ASH410D - Dual Cure

Insert Pads for Road Holders

For Shimano Dura Ace



ASH410E - Xtreme

Insert Pads for Road Holders

For Shimano Dura Ace



ASH419 - Black, extra value 2 pair pack

Insert Pads for Road Holders

For Campagnolo Record, Chorus and Athena



ASH420 - Black ASH420R - Red

Insert Pads for Road Holders

For Campagnolo Record, Chorus and Athena



ASH420E - Xtreme

Insert Pads for Road Holders

For Campagnolo 2000



ASH430 - Black

Road Caliper Brake Holders & Inserts

For Shimano and other systems. Supplied with an extra pair of inserts



ASH450 - Black/Red ASH450B - Black/Black ASH450E - Black/Xtreme ASH450EE - Xtreme/Xtreme

Road Caliper Brake Holders & Inserts

For Shimano and other systems



ASH460 - Black ASH460R - Red ASH451E - Xtreme

Road Caliper Brake Holders & Inserts

For Shimano and other systems



ASH460CA -For Carbon Composite only

Road Caliper Brake Holders & Inserts

For Shimano and other systems



ASH460D - Dual Cure

Hydraulic Rim Pads

For Magura systems



ASH651 - Black (x = 7mm)

Junior MTB Pads - 55mm

Threaded & Post Mount Variants





ASH720 - Black, threaded ASH820 - Black, post mount

OTHER BRAKES

Flat Top Pads - 55mm For stirrup brakes



ASH3 - Black

Raleigh Roadster Pads - 45mm



ASH70 - Black

Carrier Brake Pads -58mm



ASH144 - Black

Raleigh/Philips Pads -45mm



ASH269 - Black

Weinmann/Raleigh/ Other Pads - 36mm



ASH292 - Black, 'X'-Pattern

BMX Style Pads - 35mm

Caliper fitting for alloy rims



ASH297 - Black

'Surestop' Caliper Pads - 60mm

Improved wear performance and larger pad surface



ASH299 - Black ASH299R - Red

'Raincheater' Pads -35mm

Caliper fitting for steel rims



ASH300R - Black with leather strip

'Alpine' Synthetic Pads - 48mm

Adjustable, with 20mm bolt for 'U' brakes and deluxe cantilever systems



ASH312 - Black

Synthetic Cantilever Pads - 48mm



ASH501 -Black, for alloy rims ASH501R - Black, 'Raincheater' with leather strip for steel rims

'Alpine' Synthetic Pads - 50mm

For cantilever systems on alloy rims



ASH502 - Black

BULK

BRAKE PADS

All Fibrax rim brake pads are available in workshop bulk packs.

Less waste. Less packaging. Less space. Less cost.


Simply substitute 'ASH' for 'DSH' in the part code to order.

road.cc on our Road Caliper Xtreme Compound Brake Pad/Holders Set: Good brakes certainly encourage a quicker pace and it wasn't long before I was haring along the zigzags, confident of leaving braking to the last minute.

SPECIFICATIONS CABLE

These cables are hot-dip galvanised **GALVANISED** for corrosion resistance and predictable performance.

STAINLESS STEEL Fibrax stainless steel cables offer superior strength and corrosion resistance for a virtually maintenance free cabling solution.





Gear Cable End Compatible with Shimano & SRAM



Road Type Brake Cable End (Pear)



Gear Cable End Compatible with Campagnolo & Rohloff



CABLE TYPES

Fibrax fits a wide selection of cable ends, each designed to perfectly suit its application. Die cast from zinc, our cable ends offer a weatherproof fitting with a pulloff force that exceeds the braking strain for the cable to which it is fitted.

Common fittings are shown on the left to aid identification. If the fitting you need is not shown, please contact your Fibrax distributor for a full list.

SAY NO MORE TO TEFLON!







DIE DRAWN SLICK



Using a cold drawn process, we achieve a superior surface finish. Pulling the wire through dies flattens the surface and reduces friction. During the process, oil is forced into the gaps of the wire and secretes over time. This lubricates the casing and keeps your shifting and braking smoother for longer.

- Works with 12 speed systems
- No coating to rub off in the outer casing
- Pre-stretched for a more direct feel
- · Stainless steel
- Increased tensile strength

The outer casing can be purged of dirt, thereby increasing performance.

DIE DRAWN SLICK -BRAKE CABLES

Road Brake Inner for Shimano/SRAM

(Pear only) (ø1.5mm), 1.8m - Die Drawn



FCB1143

Tandem Brake Inner for Shimano/SRAM/ Campagnolo

(Universal) (ø1.5mm), 3.05m - Die Drawn



FCB1145

MTB Brake Wire

(Barrel only) (ø1.5mm), 1.8m - Die Drawn



FCB1150 FCB3150 - 100 in File Box

Brake Wires for Shimano/SRAM

(Pear only) (ø1.5mm), 1.8m - Die Drawn 100 in File Box



FCB3149

DIE DRAWN SLICK -GEAR CABLES

Gear Wire for Campagnolo

(ø1.1mm), 2.2m - Die Drawn



FCG1116

MTB & Road Gear Inner Wire for Shimano/SRAM (ø1.1mm), 2.2m - Die Drawn



FCG1139

Tandem MTB & Road Gear Inner Wire for Shimano/SRAM/ Campagnolo

(ø1.1mm), 3.05m - Die Drawn



FCG1141

Gear Inner Wire for Campagnolo

(ø1.1mm), 2.2m - Die Drawn 100 in File Box



FCG3122

MTB & Road Gear Wire for Shimano/SRAM

(ø1.1mm), 2.2m - Die Drawn 100 in File Box



FCG3128



GALVANISED BRAKE CABLES

Brake Inner Wires

For rear.



FCB1100 - Galvanised

Barrel Only. Supplied as 100 wires on an inner reel in a file box.



FCB3100 - Galvanised (Barrel only)

Pear only. Supplied as 100 wires on an inner reel in a file box.



FCB3103 - Galvanised (Pear only)

STAINLESS STEEL BRAKE CABLES

Brake Inner Wires

For rear.



FCB1102 - Stainless Steel

Barrel Only. Supplied as 100 wires on an inner reel in a file box.



FCB3102 - Stainless Steel (Barrel only)

Pear only. Supplied as 100 wires on an inner reel in a file box.



FCB3105 - Stainless Steel (Pear only)

Brake Cables

Stainless Steel for rear. Supplied with 6 ferrules & wire end covers.



FCB1245 - White FCB1246 - Blue FCB1247 - Red

Silver braided for rear. Supplied with 6 ferrules & wire end covers.



FCB1218 - Stainless Steel (sealed ferrules)

For rear. Supplied with 6 ferrules & wire end covers.



FCB1202 - Stainless Steel

Brake Cables

For rear. Supplied with 6 ferrules & wire end covers.



FCB1200 - Galvanised

Brake Tandem Inner Wire

Length 3.05m.



FCB1139 - Stainless Steel

Brake Front Cable

Supplied with 6 ferrules & wire end covers.



FCB1215 - Stainless Steel

Brake Front Cable

Supplied with 6 ferrules & wire end covers.



FCB1213 - Galvanised



BULK CABLES

Fibrax wires and casing are also available in bulk.

OTHER BRAKE CABLES

BMX Rotation Brake Cables

Suit Odyssey Gyro & Gyro2 Systems


FCB1209 - Lower (1178mm)

FCB1210 - Upper (400mm)

FCB1211 - Upper (435mm)


FCB1212 - Upper (475mm)

Top quality cables come with all the bits you need to achieve a professional job."



2P BRAKE CABLE HOUSING

The Fibrax 2P Brake Cable Housing utilises a hard wearing, low friction, waterproof liner that gives excellent protection for your cables. A hard wearing polymer is used to protect the whole assembly, ensuring low maintenance and precise braking for years to come.



Brake 2P Outer Casing



FCB3106 - Black 30m (Reel in a file box)

FCB3107 - Black 500m (Box) FCB3107R - Red 500m (Box)

FCB3107W - White 500m (Box)

FCB3107BLE - Blue 500m (Box)

FCB3127 - Braided 30m (Reel in a file box)

FCB3146 - White 15m (Bag) FCB3147 - Blue 15m (Bag) FCB3148 - Red 15m (Bag)

Brake 2P Brake Outer Casing

Supplied with 8 ferrules



FCB2102 - 2m length

GALVANISED GEAR CABLES

Sturmey Archer Universal Trigger Cable



FCG1203 - Galvanised

Gear Inner Wire

(ø1.2mm)



FCG1100 - Galvanised

Gear Inner Wires

(ø1.2mm). Tube only. Supplied as 100 wires on an inner reel in a file box.





Galvanised

Gear Cable

Supplied with 6 ferrules & wire end covers.



FCG1200 - Galvanised

STAINLESS STEEL GEAR CABLES

Gear Inner Wire

(ø1.2mm)



FCG1102 - Stainless Steel

SRAM Inner Wire



FCG1111 - SRAM Stainless Steel

Gear Inner Wires

(ø1.1mm). Tube only. Supplied as 100 wires on an inner reel in a file box.



FCG3105 - Stainless Steel for Shimano

Gear Inner Wires

(ø1.2mm). Tube only. Supplied as 100 wires on an inner reel in a file box.



FCG3102 - Stainless Steel

Gear Cable

Supplied with 6 ferrules & wire end covers.



FCG1202 - Stainless Steel

Braided. Supplied with 6 ferrules & wire end covers.



FCG1206 - Stainless Steel, length 1.8m FCG1207 - Stainless Steel, length 2.2m

Stainless Steel. Supplied with 6 ferrules & wire end covers.



FCG1208 - White FCG1209 - Blue FCG1210 - Red



OTHER GEAR CABLES

Gear SP4 Outer Casing

With standard or sealed ferrules. 6 extra ferrules included with 2000mm variant



FCG2102 - 2000mm (Standard ferrules) FCG2105 - 300mm (Standard ferrules) FCG2106 - 600mm (Standard ferrules) FCG2107 - 300mm (Sealed ferrules) FCG2108 - 600mm (Sealed ferrules)


HANDY HINT

When cutting the outer casing square and opening the liner, use an awl to decrease friction.



SP4 GEAR CABLE HOUSING

Fibrax SP4 Gear Cable Housing uses the same hard wearing, low friction inner liner as our 2P casing. A helical core gives it a strong, zero compression **shift**, which is compatible with the new 12 speed groupsets.



Gear SP4 Outer Casing

FCG3103 - Black 30m (Reel in a file box)



FCG3104 - Black 500m (Box) FCG3104R - Red 500m (Box) FCG3104W - White 500m (Box) FCG3104BLE - Blue 500m (Box) FCG3125 - White 15m (Bag)

FCG3126 - Blue 15m (Bag) FCG3127 - Red 15m (Bag)

FCG3205 - Braided 30m (Reel in a file box)

Standard or sealed ferrules. (50 Pack)

FCG3111 - 300mm (Standard ferrules) FCG3112 - 600mm (Standard ferrules)

FCG3113 - 300mm (Sealed ferrules) FCG3114 - 600mm (Sealed ferrules)



Gear SP5 Outer Casing

FCG3106 - Black 30m (file box) FCG3107 - Black 400m (reel)





The tyre lever, though one of the most basic of cycling tools, is used by almost every cyclist.

The Aero Lever, designed and manufactured by Fibrax, outperforms the rest.

Our lever has been designed to fit comfortably in the hand; its lack of sharp edges give it an ergonomic feel. Its longer length reduces the load the user needs to exert and its wedge tip aids insertion.

The Aero Lever is a tool for all and perfect for the jersey pocket or hydration pack.



Visit fibrax.com for more information.



If you carry out your own bike maintenance, you'll need a high-quality cable cutter. The Fibrax cable cutter is ideal for cutting brake or gear cables at home or in small workshops.

The Fibrax cable cutter is part of a new range of no nonsense accessories and tools, designed by our in-house team of professional mechanics with feedback from home users. This innovative cutter features a spring-loaded opening for ease of use and rubber coated handles for added comfort.

Our one-handed locking system ensures they can be neatly and safely stored away when not in use.

Key features:

- Suitable for cutting all types of outer casings and inner wires
- Hardened steel jaws
- Rubber coated handle
- One handed opening for guick use

The Fibrax cable cutters are part of a new range of no-nonsense accessories and tools, designed with input from pro-mechanics and home users; these essentials are engineered to do the job.

ULTRALIGHT CABLE KITS

BRAKE & GEAR

Our Ultralight range brings together best-in-class components to offer you the **ULTIMATE** shifting and braking technology.

By combining our high-performance die drawn wire with our ultralight die drawn wire with our ultralight casing and CNC ferrules, you can achieve the crispest shift on the market's lightest casing.

Now you can go further with Fibrax.

FCB2205 Ultralight Brake Cable Kit (Barrel) -3300mm long

FCB2206 Ultralight Brake Cable Kit - Standard (Barrel)

FCB2207 Ultralight Brake Cable Kit - Standard (Pear)

FCB2208 Ultralight Brake Cable Kit (Pear) -3300mm long

FCG2204 Ultralight Dropper Post Upgrade Kit

FCG2205 Ultralight Gear Cable Kit - 3300mm Long

FCG2206 Ultralight Gear Cable Kit - Standard





"These sealed Fibrax cables work flawlessly once installed and really keep the winter grime at bay. They cost a little more than a non-sealed cable set, but Factory Jackson said:

the durability is well worth it."

FIBRAX PRO-FORMANCE SEALED DERAILLEUR KIT

The British weather takes its toll on all cycling components, so protect your pride and joy with our sealed cable kit.

Our fully sheathed system keeps moisture, mud and all other nasties away from your cables, giving you one less excuse to miss that bike ride.

Our sealed cable kit is perfect for commuting, CX, trail bikes and winter training bikes.

Fibrax Pro-formance Sealed Derailleur Kit (FCG2200)

Fully sealed gear cable system, maintenance free super smooth shifting

- Totally sealed with a clear plastic inner casing from the shifter to the mech end
- Replacement inner casings are available for sale:

FCG2201 - Rear Inner Tube 2.05m

FCG2202 - Front Inner Tube 1.75m

• Extra outer casing is available direct from Fibrax, if required.

Full fitting instructions can be found at **www.fibrax.com** under the **FCG2200** item.





Outer casing (2.7m)



2 x end cap



6 x soft rubber frame protector

GEAR CABLE KIT

Includes cable outer for front and rear. Supplied with 8 ferrules and wire end covers.

BRAKE CABLE KIT

Includes cable outer for rear. Supplied with 8 ferrules and wire end covers.







Manufactured with an aluminium core rather than steel, the weight is kept to a minimum, saving 60% over our standard casing.

With improved flexibility, the Kevlar overwrap and compressionless linear core gives the system complete accuracy of movement with significantly less cable drag.

FEATURES:

- Aluminium and Kevlar construction
- Lightweight
- Compressionless linear core Reduced drag design

FCB3153

Ultralight compressionless brake outer casing - 15m

FCG3130

Ultralight compressionless gear outer casing - 15m





Superior quality.
CNC machined aluminium.

Our CNC ferrules keep the casing square in the ferrule and frame, reducing cable deformation and friction, whilst giving the system a lighter, crisper lever actuation.



10 CNC Metal Brake Ferrules

FCG3131

10 CNC Metal Gear Ferrules

FEATURES:

- **CNC** machined
- Lightweight aluminium
- Anodised and laser etched
- Reduced drag design



E-BIKE MOTOR COVER 🔊



The Fibrax Motor Cover is suitable for any e-bike with a center motor from Bosch, Shimano, Impulse, Yamaha, Brose, TranzX and Panasonic.

It can be adapted to fit individual frames and motor shape by using velcro strips. Correctly mounted, the Fibrax Motor Cover fits tightly around the motor and frame, significantly reducing the risk of damage to the bodywork of your e-bike.

The Fibrax Motor Cover offers transport protection and must be taken off before using the e-bike. It is not manufactured to keep the motor dry but prevents the direct impact of spray water. The holes in the bottom of the cover allow the drainage of any entering moisture.





Look out for this symbol for all our current e-bike products

E-BIKE BRAKE PADS

SHIMANO








MAGURA





AVID












TEKTRO









TEKTRO Auriga/Sub/ Tune/E-Tune/ E-Twin/E-Sub/ E-Comp, Aquila, Orion/SL, Gemini/SL, Volans, Dorado, Mira ASH991EB





Frame Protector O Rings



FCB1113 - Retail pack of 9

O-Rings

For inner wire. 600 supplied in a dispenser bottle.



FCB3303 - Ø1.5mm inner wire FCG3201 - Ø1.2mm inner wire

"U" Brake Hose Clips

Just push over the brake hose and click into the frame. **NEW**

NEW



FCM1011 - Pack of 10 FCM3008 - Pack of 50 FCM3009 - Pack of 1,000

Bar End Plug

Protects your bars from water and dirt ingress. Push fit in seconds.



FCM1012 - Pack of 2 FCM3007 - Pack of 60

Cantilever Brake Straddle Wire

a = standard, a&b = universal



FCB1104 - Galvanised Standard FCB1105 - Galvanised Universal

Cantilever Brake Cable Hanger & Straddle Wire Kit



FCB1115 - Galvanised

ACCESSORIES

'V' Brake Guide Pipe & **Rubber Boot**



FCB2290 - 90° FCB2291 - 135°

100 supplied in a bag FCB3115 - Rubber boots only **FCB3116** - 90° pipes & boots **FCB3117** - 135° pipes & boot

Push Fit Sealed Ferrules

For 4mm gear outer casing. 50 supplied in a dispenser bottle.



FCG3202 - For SP4 (4mm) cable outer

Push Fit Ferrules

For outer casing. 150 supplied in a dispenser bottle.





FCB3304 - For 2P/SP5 (5mm) cable outer FCG3200 - For SP4 (4mm) cable outer

Brake Lever Cable Adjusters Alloy.



FCB1111 - Retail pack of 2 FCB3309 - Supplied in a pack of 100.

Brake Cable Pinch Bolts

For road calipers



FCB1114 - Retail pack of 2 FCB3311 - Supplied in a pack of 100

Solderless 6mm Barrel Nipples

100 supplied in a dispenser bottle.



FCB3307

Anodized M5 X 15mm Bottle Cage/Rock Bolts

Supplied 2 per order or 50 per order



FCM3000 - Red, pack of 50 FCM1001 - Black, pack of 2 FCM3001 - Black, pack of 50 FCM1002 - Blue, pack of 2 FCM3002 - Blue, pack of 50 FCM1003 - Green, pack of 2 FCM3003 - Green, pack of 50 FCM1004 - Gold, pack of 2 FCM3004 - Gold, pack of 50

FCM1000 - Red, pack of 2

Crimp Fit Ferrules

For brake cables. 200 supplied in a dispenser bottle.



FCB3302 Brake cables FCG3204 Gear cables

Coloured Alloy Ferrules

50 supplied in a dispenser bottle.



FCB3313MIX - For 2P/SP5 casing & ø1.5mm wire

FCB3313 - Silver FCB3313BLE - Blue FCB3313BLK - Black FCB3313RED - Red FCB3313GRN - Green

FCG3203MIX - For SP4 casing &

ø1.2mm wire

FCB3203 - Silver FCB3203BLE - Blue FCB3203BLK - Black FCB3203RED - Red FCB3203GRN - Green

*FCG variants supplied with black adapter sleeves for fitment to SP4 outer.

Heavy Duty Ferrules





Silver Premium **Heavy Duty Brake Ferrules**

50 supplied in a plastic dispenser bottle.

FCB3313HD

Silver Premium Heavy Duty Gear Ferrules

With inner sleeves to fit 4mm gear casing. 50 supplied in a plastic dispenser bottle.

FCG3203HD

Crimp Fit Wire End Covers

500 supplied in dispenser bottle.



FCB3301 - Silver only

FCB3301MIX - Assorted colours

FCB3301BLE - Blue

FCB3301BLK - Black

FCB3301RED - Red FCB3301GRN - Green

FCB3301GLD - Gold





FIBRAX STAINLESS STEEL BRAIDED HYDRAULIC HOSE



- Super flexible construction allows better routing on the cycle
- Rated to 13,000psi (89,000 kPa) for superior performance
- Tough PVC outer protects both hose and frame
- Suitable for use with all common hydraulic fluids

FCB3338 - 15m Reel of Fibraflex®Hose



If you are unsure of the correct way to fit any parts, please consult a certified dealer or bicycle mechanic.

HYDRAULIC HOSE KITS & FITTING

FIBRAFLEX HOSE KITS

Contains super flexible stainless steel braided hose plus fittings. Front kits contain 0.9m of hose and rear kits contain 1.8m of hose.

Kit 1 is suitable for:

- Avid (Not Avid Elixir 1 & 3 & not SRAM XX 2010/11)
- Magura (pre 2012) excludina Bia Twin
- Hayes HFX/Sole/Dyno

FCB1300 - Kit 1 Front FCB1301 - Kit 1 Rear

Kit 3 is suitable for:

- Avid Elixir 1 & 3
- Shimano Deore 555
- Shimano LX & Shimano SLX 665
- Shimano XT 775
- Shimano XTR 975

FCB1304 - Kit 3 Front FCB1305 - Kit 3 Rear

Kit 2 is suitable for:

- HOPE
- FORMULA (2011/2012)
- Magura (2012) excluding Big Twin
- · Hayes Stroker/El Camino/Prime
- SRAM XX 2010/11
- Shimano Zee/Saint/XTR
- Shimano XT (755/765/776/785)
- Shimano SLX (666/675)
- Shimano Deore (525/535/595)

FCB1302 - Kit 2 Front FCB1303 - Kit 2 Rear

Item		Kit 1	Kit 2	Kit 3
FCB3404		1	1	2
FCB3405		2	2	2
FCB3406		2	2	2
FCB3407	ģ.	1	1	0
FCB3410	****	1	1	1
FCB3408	0	0	1	0
FCB3409		0	1	0
FCB3327	0	0	2	0

Fibraflex Replacement Hydraulic Brakeline Kits






- High quality stainless steel fittings
- Sharper response
- Improved heat dissipation
- Improved strength and durability

HYDRAULIC BRAKELINE **DEALER PACK**


- High quality fittings to replace hoses on 10 hydraulic systems
- Each fitting available in top-up packs using the codes listed
- · Designed for use with Fibraflex stainless steel braided hydraulic hose

FCB3403









GB Distributors

Ison Distribution Ltd Mackadam Factors Ltd M & J Distributors Ltd Raleigh UK Ltd Reece Cycles Plc The Cycle Division

Worldwide Distributors

CA Canada Orange Sport

CHL Motorex Lab

DE Fasi-Sicherheitsprodukte GmbH

FΙ Tunturi-Hellberg Oy Ltd FR Proconcept 2 Roues ΙE **Huet Distributors**

ΙT Atala

Junker Bike Parts NLH S White & Son Ltd NΖ Xterra Poland PL

Sc. DHS Bike Parts Srl. RO

Telephone

01353 662 662 029 2023 1203 0161 337 9600 01773 532 691 0121 622 0180 08450 508 500

Telephone

Fmail


sales@ison-distribution.com mackadams@btconnect.com sales@mjdistributors.co.uk sales@raleigh.co.uk sales@reececycles.co.uk sales@thecycledivision.com

Email

info@orangesportsupply.com felipe@motorexlab.cl fasi-sicherheitsprodukte@t-online.de sales@tunturi.com contact@p2r-net.com huetdistributors.eircom.net info@atala.it info@juncker.nl sales@hswhite.co.nz g.kopacz@o2.pl office@dhsbikeparts.ro

If you are unsure of the correct way to fit any parts you need to consult a certified dealer or bicycle mechanic. Details correct at time of printing.

Shimano® is the registered trademark of Shimano Inc. | Campagnolo® is the registered trademark of Campagnolo SRL Italy | SCOTT Sports® is the registered trademark of SCOTT Sports®.





- e: info@makocreative.co.uk

www.makocreative.co.uk

MakoCreative 🚹 MakoCreativeSolutionsLtd 🧿 mako.creative





Fibrax Ltd, Queensway, Wrexham LL13 8YR. UK T: +44 (0)1978 356744 E: info@fibrax.co.uk



